

Notice of Allowability	Application No.	Applicant(s)
	10/518,396	NAGANO ET AL.
	Examiner	Art Unit
	Richard Isla-Rodas	2829
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>3/27/2006</u> .		
2. 🔀 The allowed claim(s) is/are <u>1-20</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ⊠ Notice of References Cited (PTO-892)	5 Notice of Informal P	atent Application (PTO-152)
Notice of References Cited (F10-692) Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
•	Paper No./Mail Dat	te
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4/28/2006 12/200 4 	8), 7. ⊠ Examiner's Amendr	menvComment
4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. Other	
·		

Election/Restrictions

1. The Election Restriction Requirement mailed February 23, 2006, is hereby Withdrawn. All claims were examined.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

In page 1 of the specification, after the title, --- This application is a 371 of PCT/JP03/07579 06/13/2003 --- has been inserted.

Allowable Subject Matter

- 3. Claims 1-20 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

In terms of claim 1, the prior art of record does not shown alone or in combination a current measuring method comprising mounting a sensor that includes a Hall element on the surface of a board and mounting a conductor to carry a current to be measured on the opposite side of said board, that sensor including magnetic flux concentrating means, together with all other elements in claim 1.

As to claims 2-9, the claims are allowed as they further limit allowed claim 1.

Art Unit: 2829

In terms of claim 10, the prior art of record does not shown alone or in combination a current measuring device comprising a sensor that includes a Hall element which is mounted on the surface of a board and a conductor carrying a current to be measured on the opposite side of said board, that sensor including magnetic flux concentrating means, together with all other elements in claim 10.

As to claims 11-20, the claims are allowed as they further limit allowed claim 10.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US Patents to Lunts (4,937,251), Schroeder et al. (5,216,405), Popovic et al. (5,942,895), Ladds (6,040,690), Schott et al. (6,545,462) and Dubhashi et al. (6,819,095).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Richard Isla-Rodas whose telephone number is (571) 272-5056. The examiner can normally be reached on Monday through Friday 8 am to 4:30 pm.

Application/Control Number: 10/518,396

Art Unit: 2829

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wael Fahmy can be reached on (571) 272-1705. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Richard Isla-Rodas

VINH NGUYEN PRIMARY EXAMINER Page 4

04/28/06